

# 1.25mm VERTICAL ZIF CONNECTOR




## 2126 SERIES. 1.25mm(0.492"). For PCB Solder

### Features

- Available in 3 through 30 circuits
- Zero insertion force, firmly locks with snap
- Insulator Material: Glass filled polyester, UL 94V-0
- Contact Material: Phosphor bronze
- Compact, low profile and design for space saving and closer packaging densities
- Mates with Flexible Printed Circuit
- Contact resistance: 20 mΩ Maximum

### Dimensional Information



### Ordering and Dimensional Information

	Part Number	Dimensions		
		A	B	C
03	<b>2126 - 2031</b>	2.50(0.098)	9.60(0.378)	5.20 (0.205)
04	<b>2126 - 2041</b>	3.75(0.148)	10.85(0.427)	6.45 (0.254)
05	<b>2126 - 2051</b>	5.00(0.197)	12.10(0.476)	7.70 (0.303)
06	<b>2126 - 2061</b>	6.25(0.246)	13.35(0.526)	8.95 (0.352)
07	<b>2126 - 2071</b>	7.50(0.295)	14.60(0.575)	10.20 (0.402)
08	<b>2126 - 2081</b>	8.75(0.344)	15.85(0.624)	11.45 (0.451)
09	<b>2126 - 2091</b>	10.00(0.394)	17.10(0.673)	12.70 (0.500)
10	<b>2126 - 2101</b>	11.25(0.443)	18.35(0.722)	13.95 (0.549)
11	<b>2126 - 2111</b>	12.50(0.492)	19.60(0.772)	15.20 (0.598)
12	<b>2126 - 2121</b>	13.75(0.541)	20.85(0.821)	16.45 (0.648)
13	<b>2126 - 2131</b>	15.00(0.591)	22.10(0.870)	17.70 (0.697)
14	<b>2126 - 2141</b>	16.25(0.640)	23.35(0.919)	18.95 (0.746)
15	<b>2126 - 2151</b>	17.50(0.689)	24.60(0.969)	20.20 (0.795)
16	<b>2126 - 2161</b>	18.75(0.738)	25.85(1.018)	21.45 (0.844)
17	<b>2126 - 2171</b>	20.00(0.787)	27.10(1.067)	22.70 (0.894)
18	<b>2126 - 2181</b>	21.25(0.837)	28.35(1.116)	23.95 (0.943)
19	<b>2126 - 2191</b>	22.50(0.886)	29.60(1.165)	25.20 (0.992)
20	<b>2126 - 2201</b>	23.75(0.935)	30.85(1.215)	26.45 (1.041)
21	<b>2126 - 2211</b>	25.00(0.984)	32.10(1.264)	27.70 (1.091)
22	<b>2126 - 2221</b>	26.25(1.033)	33.35(1.313)	28.95 (1.140)
23	<b>2126 - 2231</b>	27.50(1.083)	34.60(1.362)	30.20 (1.189)
24	<b>2126 - 2241</b>	28.75(1.132)	35.85(1.411)	31.45 (1.238)
25	<b>2126 - 2251</b>	30.00(1.181)	37.10(1.461)	32.70 (1.287)
26	<b>2126 - 2261</b>	31.25(1.230)	38.35(1.510)	33.95 (1.337)
27	<b>2126 - 2271</b>	32.50(1.280)	39.60(1.559)	35.20 (1.386)
28	<b>2126 - 2281</b>	33.75(1.329)	40.85(1.608)	36.45 (1.435)
29	<b>2126 - 2291</b>	35.00(1.378)	42.10(1.657)	37.70 (1.484)
30	<b>2126 - 2301</b>	36.25(1.427)	43.35(1.707)	38.95 (1.533)

