

# BOTTOM ENTRY SINGLE ROW PCB SOCKET




## 2527 SERIES 2.54mm (0.100") For PCB Solder

### Features


- Available in 2 through 20 circuits
- Mates with 2.54mm single row headers
- Insulation Material: Nylon 6/6 UL 94V-0
- Contact Material: Tin plated solder tail terminal
- Accepts 0.64mm(0.025") square pin
- With P.C. Board standoff

### Dimensional Information



### Ordering and Dimensional Information

Circuit Size	Part Number	Dimensions	
		A	B
02	<b>2527-2021</b>	2,54(0,100)	5,10 (0,201)
03	<b>2527-2031</b>	5,08(0,200)	7,60 (0,299)
04	<b>2527-2041</b>	7,62(0,300)	10,20 (0,402)
05	<b>2527-2051</b>	10,16(0,400)	12,70 (0,500)
06	<b>2527-2061</b>	12,70(0,500)	15,20 (0,598)
07	<b>2527-2071</b>	15,24(0,600)	17,80 (0,701)
08	<b>2527-2081</b>	17,78(0,700)	20,30 (0,799)
09	<b>2527-2091</b>	20,32(0,800)	22,90 (0,902)
10	<b>2527-2101</b>	22,86(0,900)	25,40 (1,000)
11	<b>2527-2111</b>	25,40(1,000)	27,90 (1,098)
12	<b>2527-2121</b>	27,94(1,100)	30,50 (1,201)
13	<b>2527-2131</b>	30,48(1,200)	33,00 (1,299)
14	<b>2527-2141</b>	33,02(1,300)	35,60 (1,402)
15	<b>2527-2151</b>	35,56(1,400)	38,10 (1,500)
16	<b>2527-2161</b>	38,10(1,500)	40,60 (1,598)
17	<b>2527-2171</b>	40,64(1,600)	43,20 (1,701)
18	<b>2527-2181</b>	43,18(1,700)	45,70 (1,799)
19	<b>2527-2191</b>	45,72(1,800)	48,30 (1,902)
20	<b>2527-2201</b>	48,26(1,900)	50,80 (2,000)



RECOMMENDED HOLE PATTERN